

**2025 Utrecht** Jose Luis Gonzalez Jimenez, Alexandre Siligaris, Abdelaziz Hamani, Antonio Clemente, Francesco Foglia Manzillo, Cedric Dehos, Jean-Baptiste Dore, Nicolas Cassiau  
A 58 Gb/s D-band NLOS link enabled by active RIS

**2024 Paris** R.J Bootsman, D.P.N. Mul, M. Beikmirza, O. El Boustani, D. Maassen, B. van Velzen, M. Rousstia, R. Koster, J.R. Gajadharsing, T. Fritsch, Y. Shen, M.S. Alavi, and L.C.N. de Vreede  
A Switch-Bank Approach for High-Power, High-Resolution, Fully-Digital Transmitters

**2023 Berlin**, J. Dittmer, J. Tebart, C. Füllner, C. Koos, A. Stöhr  
200 Gbit/s Wireless THz Transmission over 52m using Optoelectronic Signal Generation

**2022 Milan**, E. Bekker, A. Bhutani, L. Giroto de Oliveira, T. Antes, T. Zwick  
Differential Split-Ring Resonator Based Antenna at 140 GHz in Embedded Wafer Level Ball Grid Array Technology

**2021 London**, Y. Mohammadi Qaragoz, S. Pollin, D. Schreurs:  
FDD for Low Power Backscattering in Batteryless Sensor Nodes”

**2020 Utrecht**, M. Hietanen, J. Rusanen, J.P. Aikio, N. Tervo, T. Rahkonen, A. Parssinen:  
KA-Band TDD Front-End with Gate Shunt Switched Cascode LNA and Three-Stack PA on 22 nm FDSOI CMOS Technology

**2019 Paris**, A. Bhutani, B. Goettel, M. Pauli, T. Zwick :  
122 GHz FMCW Radar System-in-Package in LTCC Technology

**2018 Madrid**, K. Murata, T. Mitomo, M. Higaki, K. Onizuka:  
A 5.8 – GHz 64-Channel Phased Array Microwave Power Transmission System Based on Space-Time Beamforming Algorithm for Multiple IoT Sensors

**2017 Nuremberg**, P. Pursula, A. Lamminen, M. Kantanen, J. Saarihahti, and V. Ermolov:  
Sub-THz Micromachined Waveguides for Wafer Level Integration of MMICs

**2016 London**, S.K. Podilchak, S.F. Mahmoud, A.P. Freundorfer, and Y.M. Ma Antar:  
New Planar Microwave Devices and Antennas by Practical Surface-Wave Launching

**2015 Paris**, H. Zargar, A. Banai, J.C. Pedro:  
DIDO Behavioral Model Extraction Setup Using Uncorrelated Envelope Signals

**2014 Rome**, C. Jany, A. Siligaris, P. Ferrari, P. Vincent:  
A Novel Programmable Harmonic Selection Technique Based on the Pseudo-Locking of an Oscillator by Periodically Repeated Oscillations Train

**2013 Nuremberg**, E. Topak, J.-Y. Choi, T. Merkle, S. Koch, S. Saito, C. Landesberger, R. Faul, K. Bock:  
Broadband Interconnect Design for Silicon-Based System-in-Package Applications up to 170GHz

- 2012 Amsterdam**, V. Carrubba, S. Maroldt, M. Musser, H. Walcher, M. Schlechtweg, R. Quay, O. Ambacher:  
Dual-Band Class-ABJ AlGaIn/GaN High Power Amplifier
- 2011 Manchester**, F.J. Schmuckle, R. Doerner, G.N. Phung, W. Heinrich, D. Williams, U. Arz:  
Radiation, Multimode Propagation, and Substrate Modes in W-Band CPW Calibrations
- 2010 Paris**, E. Öjefors, F. Pourchon, P. Chevalier, U. R. Pfeiffer:  
A 160-GHz Low-Noise Downconverter in a SiGe HBT Technology
- 2009 Rome**, A. Gaebler, F. Goelden, A. Manabe, M. Goebel, S. Mueller, R. Jakoby:  
Investigation of High Performance Transmission Line Phase Shifters Based on Liquid Crystal
- 2008 Amsterdam**, Y. Yashchyshyn, K. Derzakowski, J. Modelski:  
Extending Functionalities of Waveguide Slot Antennas by Means of Reconfigurable Aperture
- 2007 Munich**, L. A. Greda, A. Dreher:  
Tx-Terminal Phased Array for Satellite Communication at Ka-band
- 2006 Manchester**, T. Nagatsuma, H. Ito, K. Iwatsuki:  
Generation of Low-phase Noise and Frequency-tunable Millimeter-terahertz-waves Using Optical Heterodyning Techniques with Uni-traveling Carrier Photodiodes
- 2005 Paris**, H. Murata, K. Kaneda, A. Enokihara et al. :  
38 GHz Signal Optical Fiber Transmission Using Guided-Wave Electrooptic Single-Sideband Modulators with Polarization Reversals
- 2004 Amsterdam**, S. Masuda, H. Kira, and T. Hirose:  
110-GHz high-gain flip-chip InP HEMT amplifier with resin encapsulation on an organic substrate
- 2003 Munich**, I. Gresham, A. Jenkins:  
A fast switching, high isolation, miniature absorptive SPST for 24 GHz
- 2002 Milan**, W. Menzel, A. Al-Tikriti, R. Leberer:  
A 76-GHz multiple-beam planar reflector antenna
- 2001 London**, I. Rolfes, T. Musch, B. Schick:  
A highly linear digital detector for noise parameter measurements at microwave frequencies
- 2000 Paris**, H. Kamitsuna, Y. Matsuoka, S. Yamamhata, N. Shigekawa:  
A 82-GHz-optical gain-cutoff-frequency InP/InGaAs double-hetero-structure phototransistor (DHPT) and its application to a 40-GHz-band OEMMIC
- 1999 Munich**, T. Hiratsuka, T. Sonoda, S. Mikami, K. Sakamoto, and Y. Takimoto:  
A Ka-band diplexer using planar TE mode dielectric resonators with plastic package
- 1998 Amsterdam**, O. Wohlgemuth, B. Agarwal, R. Pallela, D. Mensa, Q. Lee, J. Guthrie, M.J.W. Rodwell, R. Reuter, J. Braunstein, M. Schlechtweg, T. Krems, and K. Köhler:  
A NLTL-based integrated circuit for a 70-200 GHz VNA system
- 1997 Jeruzalem**, Y. Sun, M. de Kok, J.L. Tauritz, and R.G.F. Baets:  
2~3 GHz silicon MMIC balanced oscillators using on-chip active resonators
- 1997 Jeruzalem**, A.B. Kozyrev, V.N. Osadchy, M.M. Gaidukov, A.S. Pavlov, V. Meerovich, S. Sokolovsky: Transmitter-receiver switch based on high-T<sub>c</sub> superconducting film
- 1996 Prague**, M. Vossiek, P. Heide, M. Nalezinski, V. Mágori:  
Novel FMCW radar system concept with adaptive compensation of phase errors

- 1995 Bologna**, F. Filicori, G. Vannini, A. Santarelli, D. Torcolacci, V.A. Monaco:  
Accurate prediction of intermodulation distortion in GaAs MESFETs
- 1994 Cannes**, L. Mullen, A. Vieira, P.R. Herczfeld, V.M. Contarino:  
Experimental and theoretical analysis of a microwave-modulated lidar system
- 1994 Cannes**, S.L. Delage, D. Floriot, H. Blanck, S. Cassette, E. Chartier, M.A. diForte-Poisson, C. Brylinski, Y. Perreal, D. Pons, P. Roux, P. Bourne, P. Chaumas :  
Power GaInP/GaAs HBT MMICs
- 1993 Madrid**, G. David, S. Redlich, W. Mertin, R.M. Bertenburg, S. Koßlowski, F.J. Tegude, E. Kubalek, D. Jäger:  
Two dimensional direct electro optic field mapping in a monolithic integrated GaAs amplifier
- 1992 Helsinki**, M. Hallikainen, and M. Toikka:  
Classification of sea ice types with radar
- 1991 Stuttgart**, W. Konrath:  
Fully integrated 18-20GHz phase-locked DRO signal source for digital radio systems using chip and wire technology
- 1990 Budapest**, M. Weiss, Geok Ing Ng, and D. Pavlidis:  
InP based monolithic integrated HEMT amplifiers and their material sensitivity
- 1989 London**, R.C. Brown, P.J.B. Clarricoats, Z. Hai:  
The performance of a prototype reconfigurable mesh reflector for spacecraft antenna applications
- 1988 Stockholm**, G. Splitt:  
Rectangular electromagnetically coupled microstrip antennas in multilayered structures
- 1987 Rome**, G.P. Donzelli, C. Angione, M. Cipelletti, P. Mengoni, E. M. Bastida:  
Very high performance GaAs microwave MESFET power devices
- 1986 Dublin**, A. Daryoush, P. Herczfeld, A. Rosen, V. Contarino, Z. Turski, P. Wahi:  
Optical beam control of millimeter wave phased array antennas for communications
- 1985 Paris**, A. Bert, F. Farzaneh, P. Guillon, N. Mamodaly, J. Obregon:  
A fundamental mode InP Gunn dielectric resonator oscillator at 94 GHz
- 1984 Liège**, E. Kuhn, G. Philippou:  
Fully computer-optimized design of circular corrugated horns
- 1984 Liège**, E. Kuhn, B.K. Watson:  
Rectangular corrugated horns - analysis, design and evaluation
- 1983 Nuremberg**, J.C. Bolomey, M. Gautherie, J.L. Guerquin-Kern, A. Izadneghadar, L. Jofre, Y.C. Michel, G. Peronnet, C. Pichot, C. Szeles  
A microwave diffraction tomography system for biomedical applications
- 1982 Helsinki**, E. Kollberg, L. Olsson, S. Rudner:  
A very low noise quasi-particle (SIS) mixer receiver for radio astronomical applications
- 1981 Amsterdam**, J. Arnold, R. Butlin:  
Extended frequency range GaAs MESFETs using 0.30  $\mu\text{m}$  gate
- 1980 Warszawa**, R. Knoechel, A. Schlegel:  
Octave-band double balanced integrated fin-line mixers at mm-wavelengths
- 1979 Brighton**, R.S. Pengelly:  
A broad band frequency discriminator using a dual gate GaAs field effect transistor



1978 Paris, G.T. Wrixon:

A superheterodyne receiver from 350-400 GHz

1977 Copenhagen, T. Paukner, B. Schiek, W. Schilz:

A microwave spectrometer - suitable for gas analysis in industrial applications

**EuMA aisbl**

[headquarters@eumwa.org](mailto:headquarters@eumwa.org)  
[www.eumwa.org](http://www.eumwa.org)

Tel. +32 10 39 00 69  
Mob. +32 475 49 48 22

rue Louis de Geer 6,  
1348 Louvain-la-Neuve, Belgium  
TVA BE 0464 401 356

